bluepoint ENVIRONMENTAL
706 North Salina Street, Suite 204
Syracuse, NY 13208
Phone: 315.299.2467
Fax :315.299-2659
info@bpe-llc.com

Microbial Analytical Services

ACCREDITED LABORATORY AIHA Environmental Microbiology See aihaldap.org for details

EMLAP #170784

CHAIN OF CUSTODY RECORD
and Authorization for Analysis

BILLING INFORMATION			
Company:		Phone:	
Contact:		Fax Results? Y / N	Fax:
Address:		Email Results? Y / N	Email:
City, State, Zip:		PO # :	
Project ID:		Send Invoice to:	

SAMPLING INFORMATION			
Sampled By:			
Company:			
Site Address:			
City, State, Zip:			
Claim # :		Project # :	

Analysis Turn Around Time (TAT) Codes

SD	Same Business Day (+ 200%)
ND	Next Business Day (+ 100%)
2D	2 Business Days (+ 75%)
3D	3 Business Days (+ 50%)
4D	4 Business Days (+ 50%)
5D	5 Business Days (+ 25%)
WH	Weekend/Holiday (+ 200%)
STD	Standard Turn Around Time

Rush TAT available for non-culturable analyses only. Coliform analyses minimum TAT Next Day.

Analysis Requested

ELS Use Only	Date	Time	Sample Location/ID	Description	Sample Type	TAT	Pump Flow Rate (lpm)	Sample Duration (min)	Total Volume/Area	Std. TAT 6 days: Fungi - Spore Trap Analysis (non culturable)	Fungi - Direct Microscopic Exam (non culturable)	Fungi - Spore Trap Analysis (culturable)	Std. TAT 10 days: Fungi - Standard Quantitative Analysis (culturable)	Fungi - Stnd. Quant. W. Asp/Pen Species ID (culturable)	Fungi - Stnd. Quant. W. Clad. Species ID (culturable)	Fungi - Premium Quant. w/ Full Species ID (culturable)	Std. TAT 6 days		Sample Condition Acceptable ☐YES ☐NO

Sampler Signature:	Date	Time		Date	Time
Relinquished by:			Received by:		
Relinquished by:			Received by:		
Relinquished by:			Received at Lab by:		

Sample Matrix Codes

STA	Spore Trap Air-O-Cell	BK	Bulk
STV	Spore Trap Via-Cell	DT	Dust
N6	Air Impactor Plate (N6)	DW	Drinking Water
AD	Air Density Plate	OW	Other Water
TP	Tape	SD	Solid/Soil
SB	Swab	OT	Other: